

NCR Docket No. 9226

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A method for use in tracking the actions of an Internet user, the method comprising:

loading data from a one or more transaction logs ~~log of an one or more Internet server into servers across plural parallel processing modules~~ of a database system, where the data includes an entry for each request to the Internet server, including information identifying which user submitted the request and information identifying the time at which the request was received; and

executing a database query across the parallel processing modules to select ~~selecting~~ from the data all entries associated with a particular user and corresponding to a single session of that user.

2. (Original) The method of claim 1, where the step of selecting includes selecting entries with time stamps lying in a predetermined range.

3. (Original) The method of claim 1, where the step of selecting includes comparing time stamps of entries and selecting each entry for which the time stamp differs from the time stamp of another entry by less than a predetermined amount.

4. (Original) The method of claim 3, where the step of selecting includes selecting each entry for which the time stamp differs from the time stamp of another entry by less than 30 minutes.

5. (Original) The method of claim 1, also including sorting the selected entries chronologically to reconstruct the user's clickstream.

NCR Docket No. 9226

6. (Currently amended) A computer program, stored on a tangible storage medium, for use in tracking the actions of an Internet user, the program comprising executable instructions that cause a ~~computer~~ one or more computers to:

load data from a one or more transaction logs ~~log of an one or more~~ Internet ~~server into servers across plural~~ parallel processing modules of a database system, where the data includes an entry for each request to the Internet server, including information identifying which user submitted the request and information identifying the time at which the request was received; and

execute a database query across the parallel processing modules to select from the data all entries associated with a particular user and corresponding to a single session of that user.

7. (Original) The program of claim 6, where, in selecting entries, the computer selects entries with time stamps lying in a predetermined range.

8. (Original) The program of claim 6, where, in selecting entries, the computer compares time stamps of entries and selects each entry for which the time stamp differs from the time stamp of another entry by less than a predetermined amount.

9. (Original) The program of claim 8, where, in selecting entries, the computer selects each entry for which the time stamp differs from the time stamp of another entry by less than 30 minutes.

10. (Original) The program of claim 6, where the computer also sorts the selected entries chronologically to reconstruct the user's clickstream.

NCR Docket No. 9226

11. (Currently amended) A database system comprising:

one or more data-storage facilities for use in storing data received from a one or more transaction logs log of an one or more Internet server ~~computers~~ computer, where the data includes an entry for each request to the Internet server ~~computers~~ computer, including information identifying which user submitted the request and information identifying the time at which the request was received; and

~~one or more~~ plural parallel processing modules configured to manage the data stored in the data-storage facilities; and

a database-management component configured to execute a database query across the parallel processing modules to select from the data all entries associated with a particular user and corresponding to a single session of that user.

12. (Original) The system of claim 11, where the database-management component is configured to select entries with time stamps lying in a predetermined range.

13. (Original) The system of claim 11, where the database-management component is configured to compare time stamps of entries and to select each entry for which the time stamp differs from the time stamp of another entry by less than a predetermined amount.

14. (Original) The system of claim 13, where the database-management component is configured to select each entry for which the time stamp differs from the time stamp of another entry by less than 30 minutes.

15. (Original) The system of claim 11, where the database-management component is configured to sort the selected entries chronologically to reconstruct the user's clickstream.